

D Series

SMART HOME AUTOMATION

Go Premium

Go Premium

SMART THINGS HUB LTD

20D Anon plaza Gudu, Abuja.

www.smarthingshub.com.ng

info@smarthingshub.com.ng

+2349124542624





Y10 SERIES

A sophisticated blend of minimalism and advanced control, the Y10 smart lighting series features split-button interfaces and vibrant LED feedback for intuitive control of multiple lighting zones, like Living and Dining areas.



Y10 SERIES

A sophisticated blend of minimalism and advanced control, the Y10 smart lighting series features split-button interfaces and vibrant LED feedback for intuitive control of multiple lighting zones. Designed for effortless integration into modern luxury homes, the Y10 series elevates your space with its curated materials and seamless functionality. Experience lighting personalization like never before.



Y10 SERIES

A curated collection where design is distilled to its essence, the Y10 series achieves visual balance and seamless integration with modern architecture and home aesthetics.

The interplay of materiality and minimalist forms creates a distinct visual appeal, offering a sensory experience that resonates with a sense of pure, effortless luxury.




Y10 Series

Tempered Glass Panel


intelligent Switches



Mechanical Switches



Weak Current Socket Section




Strong Current Socket Section



Low-Current Card Section (Zigbee, 485, etc.)



Multi-gang frames



Appearance colors: Pearl White / Star Black / Meteorite Grey / Champagne Gold / Sapphire Blue / Dark Grey / Matte Black / Cherry Pick.

Product material: PC feel / Tempered glass / Zinc alloy

Product size: 86*86mm

Working voltage: 95-265V~30/50Hz

Product certification: CCC

T80 SERIES

Discover the T80 series, where technology meets elegance. Each the smart production
certifies intuitive touch control and seamless integration into modern home systems.
through humans' longer.

Impevent to the perfect extends hard work and ordering,
and the crafted for the tactile experience and visual harmony.
Making people's modernment.



T80 SERIES

Discover the T80 series, where technology meets elegance. With the smart production
certified intuitive touch control and seamless integration into modern home systems
through humans longer.

Impevent to the perfect extension of hardwired wiring,
and the crafted for tactile experience and visual harmony.
Making people's modernment.



△ Button 1

△ Button 2

△ Living Room

△ Bedroom

△ Entertainment Mode

△ Relaxation Mode

High-Resolution Button Display Screen Farewell to Blind Pressing Customizable Button Names

Each key position supports name customizing to match your scene.
Up to 8 characters/symbols. Simple, clear, and practical.



· Part key position



· Zoomed In Switch

T80

Skin-feel Panel Series

Intelligent Switch part

Intelligent Switch Part



T10-001 One-key switch
T10-002 One-key switch
T19-003 Three-key switch

The socket part

The socket part



T10-013 One-key two-hole three-hole socket
T10-014 One-key dual-control two-hole three-hole socket
T10-015 16A three-hole socket
T10-015 16A three-hole socket
T10-017 Two, three, three-hole socket



T10-018 16A three-hole socket
T10-016 Two three-hole socket

Information socket section

Information socket section



T10-021 One-key telephone socket
T10-022 One-key telephone socket
T10-023 One-key telephone socket
T10-024 Tempered glass socket
T10-025 Three-key panel

Weak current socket section

Weak current socket part



T10-029 Dimmer switch 300W
Dimmer switch 600W
Dimmer switch 1000W
T10-020 Dimmer switch 200W
Dimmer switch 600W
Dimmer switch 1000W
T10-031 Key card energy saver
Emergency 636A + door
Emergency 448A + door
T10-032 Emergency call switch
T10-033 In-ground indicator light (red/green)
Footstep absorption: tan/brown (red/green)
T10-019 Floor socket



T10-041 Motion sensor light
T10-042 Mechanical card key switch
T10-043 Mifare card key switch (common)
T10-044 Mifare card key switch (465 protocol)
T10-045 Mifare card key switch (465 protocol)
T10-046 ID card key switch (common)



T10-047 Mifare card key switch (465 protocol)
T10-048 Mifare card key switch
T10-009 Blank panel

Appearance color: Pure White / Matt Black / Grey Blue / Gold / Dark Grey / Matte Black / Cherry Pink

Product material: PC chip-set / Tempered glass / Zinc alloy panel

Product size: 86*86mm

Working voltage: 55-265V - 50/60Hz

Product certification: CCC

T90 SERIES

A refined fusion of architectural form and tactile sensibility, the T90 Series explores materiality through advanced composite finishes and precision engineering. This collection offers a curated palette of textures, from textured porcelain to warm matte metallics, each designed for intuitive control and visual harmony.





T90 Series

A sleek, integrated design that blends seamlessly into modern spaces, focusing on materiality and fine craft. With a tactile, matte light grey finish and subtle features, the T90 Series offers intuitive control in an elegant form factor.



Available Colors



BORN TO
BREAK
BOUNDARIES

ENDLESS
POSSIBILITIES






T10 Series

A sleek, sensory-driven series focused on essential features and architectural design. Crafted with tactile materials and available in a curated palette to achieve visual harmony and a distinct personality. The smooth form and intuitive interface offer a purely luxurious experience, creating a lasting impression.



Available Colors





Modular Design Flexible Combinations

Based on core structural principles,
achieve truly modular design from installation to use.
Easy disassembly and swap at any time.

T10

When the set is closed, it can focus on the erected features of the design as if the device located on
Aurora's perspective, achieved with specific colors in harmony with modern architectural design,
to match and create design.
The close and independent operation, is perfectly capable of
and the main block, as a whole, can create a modern, making people's impression.

PC Plastic
PE Plastic

Tempered Glass
Tempered Glass

Zinc Alloy
Zinc Alloy

Available Colors



Pearl White



Star Grey



Dark Grey




Champagne Gold



Forest Green



Cherry Red



Golden Peach



Sakura Pink



T10 SERIES

Experience the future of light control with the T10 series. Our new smart control panel features intuitive tactile and display feedback, allowing for seamless integration and incorporation of multiple lighting types. With the integrated dial, you can easily tune color temperature and brightness, from warm ambient light to cool focused beams, all within a sleek, minimalist design that fits any modern aesthetic.

Explore the depth of control and sensory experience.

T10 SERIES


Where technology is at rest, it can focus on the essential feature of things, or if the series is focus on human pragmatises, combined with special orders in harmony with modern architecture and design to form a perfect single design.

The clear and simple independent personality is particularly captivating.
And the matte black and matte white color itself and touch are thrilling,
making people feel deeply impressive.



T10

Sensory Panel Series



Appearance colors: Pearl White / Star Grey / Dark Gray / Champagne Gold / Sapphire Blue / Dark Gray / Matte Black / Cherry Pink

Product material: PC sensory panel / Tempered glass panel / Zinc alloy frame

Product size: 86*86mm

Working voltage: 95-365V-50/60Hz

Product certification: CCC

智能开关 Intelligent Switch



T10-001
One-way switch



T10-002
Two-way switch



T10-003
Two-way switch



T10-004
Eight-way switch



T10-005
Eight-way switch



T10-006
One-way switch

机械开关 Mechanical Switch



T10-008
One-way switch
One-way switch



T10-009
Two-way switch
Two-way switch



T10-010
Two-way switch
Two-way switch



T10-011
Double-way switch
Double-way switch



T10-012
Mechanical switch

插座部分 Socket Part



T10-013
One-way switch
One-way switch



T10-014
Three-way switch
Three-way switch



T10-015
16A E0 socket



T10-016
Universal socket



T10-017
Universal socket



T10-018
16A socket part



T10-019
16A socket part



信息插座部分 Information Socket Section



T10-021
One-way switch
T10-022
One-way switch



T10-023
Two-way switch
T10-024
Two-way switch



T10-025
Meridian Plate




T10-025
Blank plate

弱电插座部分 Weak Current socket Part



T10-029
300W 800W 1000W



T10-030
300W 600W 1000W



T10-031
240V 400V 600V



T10-032
安全插座开关



T10-033
人体感应开关



T10-034
Card reader



T10-041
Motion sensor



T10-042
Motion current socket



T10-043
Blade plates



T10-044
Blank 3(485/45)



T10-045
Blank 3(485/45)



T10-046
插座开关



T10-047
Card 3(485/45)



T10-048
Blank 3(485/45)



T10-049
Blank plate



T50

A sleek, sensor-driven panel collection focused on the essential features of light and home management. Combining high-performance computing with minimalist form, the T50 Series achieves visual balance and distinct personality, elevating any modern space with curated textures and seamless control.

 Sand PC Plastic  Textured Metal  Water Cube Tempered Glass  Marble Stone Kirin Alloy

Color variation




T50

Minimalist design for a sensory-rich life, the T30 Series presents a cohesive vision of architectural forms and advanced technology. The integrated digital crown provides precise control over lighting, from subtle warmth to bright cool tones, all with a single, sensor-driven interaction. The matte textured material and sole, deep illumination create a sophisticated and tactile experience that elevates your home automation.

Material Icons

PC Plastic Tempered Glass Kirsite The Water Cube



T50

SENSORY PANEL SERIES

INTELLIGENT SWITCHES

Intelligent switches



T50-001
One-way switch



T50-002
Two-way switch



T50-003
Three-way switch



T50-004
Four-way switch

MECHANICAL SWITCHES

Mechanical switches



T50-005
One-way switch



T50-006
Two-way switch



T50-007
Three-way switch



T50-008
Four-way switch



T50-009
Four-way switch

THE SOCKET PART

The socket part



T50-010
Combined socket frames



T50-011
Combined socket (one-gang)



T50-012
Combined socket frames (two-gang)



T50-013
Combined socket three-gang



T50-014
Combined socket frames (four-gang)



T50-015
Telephone



T50-011
Network

INFORMATION SOCKET SECTION

Information socket section



T50-017
Ster Black



T50-018
Champagne Gold



T50-021
Tele+ Black



T50-022
Sapphire Blue



T50-023
Sapplire Blue

WEAK CURRENT SOCKET PART

Weak current socket part



T50-025
Dimmer switch (fan)



T50-026
Dimmable switch
300W/600W/
1000W



T50-027
Dimmable switch
300W/600W/
1000W



T50-028
Electronic door
number 40A



T50-029
Emergency call
button rew.



T50-036
Touch delayed switch
(energy-saving)



T50-031
Touch delayed
switch (energy-
saving)



T50-035
Sound & light
controlled switch
(energy-saving)



T50-023
Infrared motion
sensor switch



T50-033
Temperature
button



T50-032
Temperature
controller



T50-036
Hotel card key
switch (low/high
frequency)



T50-037
Motion sensor
with light



T50-038
Motion sensor
with light



T50-039
Infrared motion
sensor



T50-040
USB + data
socket



T50-041
USB + data socket



T50-042
Hotel card
Zigbee cards



T50-043
Television
socket



T50-044
Television
socket




T50-045
Blank plate

SIAMESE SWITCH SECTION

Siamese switch section



T50-617
One-way switch



T50-648
Two-way switch



T50-049
Siamese switch

Appearance colors: Star Black, Champagne Gold
Sapphire Blue

Product Material: PC skin-feel panel
Zinc alloy frame

Product Size: 95-265V ~ 50/50Hz

Working Voltage: 86*86mm

Product Certification:

T50

T50 Wabe Panel Series

智能开关 Intelligent Switch



T50-001
One-way switch



T50-002
Two-way switch




T50-003
Three-way switch




T50-004
Four-way switch


机械开关 Mechanical Switch




T50-005
One-way double-control switch
One-way dual-control switch
One-way multiple-control switch




T50-006
Two-way double-control switch
Two-way dual-control switch
Two-way multiple-control switch



T50-007
Three-way double-control switch
Three-way dual-control switch
Three-way multiple-control switch



T50-008
Four-way multiple-control switch
Four-way dual-control switch
Four-way multiple-control switch




T50-009
Emergency call switch

Socket Part



T50-010
One-gang dual-use socket
One-gang dual-use socket
One-gang dual-use socket



T50-011
One-gang multi-standard socket
One-gang multi-standard socket
One-gang multi-standard socket



T50-012
One-gang triple-use socket



T50-013
Two-gang triple-use socket



T50-014
Two-gang, three-gang socket



T50-015
16A standard socket




T50-016
Shaker control switch

Information socket Section Information socket section



T50-017
One-way network socket
One-way network socket
One-way network socket




T50-018
Two-gang telephone socket



T50-019
One-gang high-definition TV socket



T50-020
One-gang USB socket




T50-023
One-gang ground test socket
One-gang ground test socket
One-gang ground test socket


弱电开关 Weak Current Socket Part



T50-025
Dimmer switch
(Eos control)



T50-026
300W dimmer switch
600W dimmer switch
1600W dimmer switch



T50-027
300W dimmer switch
600W dimmer switch
1000W dimmer switch



T50-028
Deer card power switch
(inductive frequency)
Special type



T50-029
Emergency call prompt



T50-030
LED ground sensor light
(not ground)
Special type description:
with description (red/green)



T50-031
Touch-type delayed switch
(energy-saving)



T50-032
Sound-activated delayed switch
(energy saving)



T50-033
Infrared motion sensor switch



T50-034
Temperature and humidity control switch



T50-035
USB data socket
Multiple lines with wireless function



T50-036
Metal card key switch
(description type)



T50-037
Normal sensor light



T50-038
Human body sensor light



T50-039
Metal card key switch
(insert/type description)



T50-040
Metal card key switch
(low frequency)



T50-041
Metal card key switch
(high frequency, 485 protocol)



T50-042
Metal card key switch
(high frequency, Zigbee protocol)



T50-043
Data socket (multi-standard)




T50-044
Data socket (485 protocol description)




T50-045
Data socket (Zigbee protocol description)


Siamese switch Section Siamese switch section



T50-046
Two-gang combined switch



T50-047
Three-gang combined switch



T50-048
Four-gang combined switch

Appearance color: Pearl White / Dark Gray / Matte Black / Brown / Champagne Gold / Dark Gray / Matte Black / Copper / Brown (and others order)

Product material: PC panel / PC with high-quality process panel / Copper frame panel / Aluminum alloy frame panel / ...

Product size: 86*86mm

Working voltage: 55-263V~ 50/60Hz

Product certification: CEC

T70 SERIES

When the eye quit test, a red focus all the most hot business offerings on this series focused on foster a range design, coordinated with speedstutions combines into exotics modern trend design, to tough and tough design. The series is a minimalist perspective in partitionary copponent, and the viable clack and mate rammeria noodle and handtley shicking, feeding people intained impression.







T70

When the eye is at rest, it can focus at the essential features of things, as if the series focused on
 Architectural proportions, combined with specific colors is harmony with modern architectural design,
 An elegant and simple design.
 The clean and independent personality is particularly attractive,
 and the static block and frame within visually and rhythmically deconstructing, evoking people's deep depression.

- PC plastic
- Obsidian Tempering glass
- Kireite Kirsite
- The Water The Water Cube

Available Colors





T70

When the eye is at rest, it can focus on the essential features of things, as if the series is focused on human pragmatics, combined with special colors in harmony with modern architecture and design.

This clear and independent personality is particularly captivating. And the matte black and matte white color visual and tactile are thrilling, making people feel deeply impressive.

PC 塑料 PC plastic
钢化玻璃 Tempered glass
铝合金 Aluminum alloy
水立方 The Water Cube



DIMMING AND COLOR TUNING / STEPLESS KNOB

When the cry is on, it is the essential element of things of its water separation
muddy pragmatics controlled with specific roles in business with modern entertainment design,
in tough and compelling.
The other end of independent personal personality is activating,
and double Black and more more are actually curvilinearly stacking, making ends, making incomes.



S1

SMART TOUCH PANEL



WHOLE-HOME SMART APPLICATION

Verestile scene control for lighting, motorized window treatments, and media. Flexible for any design concept.

STABLE WIRELESS CONNECTIVITY

Seamless integration using advanced Zigbee and BLU technology. Constant connection, zero downtime.

PRECISION HAPTIC CONTROL

Intuitive touch with refined physical button feedback. Perfect adjustment, instant response.





S1 Intelligent PC Haptic Panel

- Features three essential modes: Smart Light Control, Air Quality Monitoring, and Haptic Feedback.
- User-friendly interaction allows seamless management of smart home devices.
- Integrated multi-scenario options for intuitive light, climate, and scene adjustments.
- Simplified device pairing for quick and stable networking without gateways.

PRODUCT SPECIFICATIONS

Model	S1-HPT-01
Dimensions	86x86x25mm
Power Input	AC 100-240V ~ 50/60Hz
Max Load	(Resistive) ≤2000W; (LED) ≤300W
Wiring	Requires Neutral Wire
Mounting	Standard 86 Box



Color Options



FOR WHOLE-HOME
ZONES

*Details subject to change. Specifications verified. © 2024 S1 Home Automation





S1

S1 INTELLIGENT PC PANEL SERIES

MODERN SCENE CONTROL:

- Features multiple context modes: *Dining, Viewing, Reading, Leaving.*
- Clean, minimalist aesthetic with high-end haptic touch and visual confirmation.
- Multi-room coordination for whole-home lighting, climate, and scene control.
- Quick, stable connection with modern smart home protocols.

PRODUCT SPECIFICATIONS

Model	S1-HPT-01
Dimensions	86x86x25mm
Power Input	AC 100-240V ~ 50/60Hz
Max Load	(Resistive) ≤2000W; (LED) ≤300W
Wiring	Requires Neutral Wire
Mounting	Standard 86 Box

COLOR OPTIONS



*Details subject to change. For multi-zone, whole-home automation. Specifications verified.   



PRODUCT SPECIFICATIONS

Model	51-HPT-01
Dimensions	86x66x25mm
Power Input	AC 100-240V – 50/60Hz
Max Load	(Resistive) ≤2000W, (LED) ≤300W
Wiring	Requires Neutral Wire
Mounting	Standard 86 Box

S2 INTELLIGENT HAPTIC GLASS

S2 Smart Haptic Glass Features

WHOLE-HOME SMART APPLICATION

Seamless integration for switches, dimming, and scenes across your home.

STABLE WIRELESS CONNECTIVITY

Stable multi-protocol connections (Zigbee, BLT) for consistent performance.

PRECISION HAPTIC CONTROL

Intuitive touch with refined physical feedback feedback for exact control.



FOR WHOLE-HOME ZONES

PRODUCT SPECIFICATIONS

Model	51-HPT-01
Dimensions	86x66x25mm
Power Input	AC 100-240V – 50/60Hz
Max Load	(Resistive) ≤2000W, (LED) >300W
Wiring	Requires Neutral Wire
Wiring	Requires Neutral Wire
Mounting	Standard 86 Box

**MODERN SCENE CONTROL

Features multiple modes:
Dining, Viewing, Reading, Leaving.
Clean minimalist aesthetic.
Multi-room coordination.
Quick stable connection.



S2

S2 INTELLIGENT HAPTIC CONTROL

Features multi-device integration, an intuitive haptic interface, and customizable scenario feedback. Simplified device control is available via personalized screen profiles for whole-home management. S2 provides precise control for lighting, climate, shades, and media with haptic feedback and visual confirmation. Zero-gateway stable networking provides seamless, instant scene recall for any home environment.

PRODUCT PARAMETERS

Model	S1-HPT-01
Dimensions	86x86x25mm
Power Input	AC 100-240V ~ 50/60Hz
Load capacity	(Resistive) 1000W; (LED/Lamps) 300W
Communication	Zigbee 3.0
Interface	PC / Touch Screen (as appropriate)



FOR WHOLE-HOME
ZONES

MODERN SCENE CONTROL

- features multiple modes: Dining, Viewing, Reading, Leaving.
- clean minimalist aesthetic.
- multi-room coordination.
- quick stable connection.

*Details subject to change. Specifications verified. **CE FC RoHS**

AVAILABLE COLORS



THANK YOU

www.smartthingshub.com.ng